



Generative AI Based Personalized Content Creation for Digital Marketing Campaign

Dr.P.Jayalakshmi¹

¹(Associate Professor

MBA Department

Ethiraj College for Women, No.70, Ethiraj Salai, Chennai

jayalakshmi_p@ethirajcollege.edu.in)

Abstract – The use of generative AI within the sphere of digital marketing has completely revolutionized the way in which firms generate and personalize their content. In this paper, I am going to introduce a comprehensive framework for personalized content creation based on the use of large language models and multimodal generative systems. The methodology includes several stages such as audience profiling, prompt engineering, multimodal content generation, and feedback collection. The discussed framework is going to deal with such issues as semantic consistency, personalization level, and content quality evaluation with the help of embedding-based assessment methods. The results of my experimental analysis show that personalized content generation helps to achieve better engagement rates in comparison with non-personalized baselines, with multimodal strategies performing better than single-modality systems.

Keywords - Generative AI, Personalized Content, Digital Marketing, Large Language Models, Hyper-Personalization, Multimodal Generation

I. INTRODUCTION

The digital marketing world has experienced an evolution of sorts with the advent of generative artificial intelligence technology [1][4][8]. The traditional methods of content production, which include manual writing and templating for personalization purposes, become increasingly incapable of catering to the current consumer's demands for relevant, timely, and contextually sound interactions with brands. The abundance of digital touchpoints and the massive amounts of consumer data have presented marketers with new opportunities and new challenges in terms of delivering personalized experiences [1][4].

Generative AI is built on a foundation of sophisticated transformers and multimodal technology and thus allows for the automated creation of content, which cannot be achieved through segmentation [4][8]. As opposed to rule-based systems, which function using templates and manual intervention, generative algorithms are capable of creating novel content based on the understanding of user preferences and behaviour patterns [2][3]. This approach allows for what scholars call hyper-personalization – a situation where the marketing content is dynamically produced for each individual user based on the knowledge of their characteristics [5].

Since the development and release of generative models such as GPT-4, Gemini, and Claude, the use of generative AI for marketing purposes has increased tremendously [1][8]. Companies now know that generative AI is capable of creating copy that is just as creative as that created by human copywriters and is even more efficient at scale and speed [8]. Initial efforts in using this technology have

shown encouraging results in various uses cases, including but not limited to optimization of email subject lines, generating captions for social media content, and creating programmatic ad creatives. [1][9].

On the other hand, generative AI creates certain problems that need further research and solutions. Firstly, generative models often create hallucinations, factual errors, and sometimes messages that do not align with the image of a company and, thus, can negatively affect consumer perceptions [2][8]. Moreover, it was found that personalization works better for some target audiences and types of products than others; in some cases, when done poorly, personalization decreases consumer engagement compared to the same non-personalized message [3][6]. In addition, several ethical issues arise, which need to be addressed by researchers and marketers [6][8].

The research attempts to tackle these problems by presenting a framework for personalized content generation using generative AI with elements of audience profiling, prompt engineering, synthesis in different modalities, and constant evaluation of performance metrics [2][3][7]. This framework allows organizations to generate hyper-personalized content without losing consistency and quality of their content. Systematic analysis of performance metrics in various content types and personalization methods gives us insights into how and under what conditions AI-driven personalization works the best [6][7].

This research makes three important contributions to the area. First, the work synthesizes existing literature on marketing applications of generative AI and identifies

technical and strategic dimensions, affecting personalization efficiency [4][5][8]. Second, we present a framework, turning these dimensions into a methodology, usable in practice. Third, we provide quantitative analysis of performance of different personalization techniques, based on different marketing metrics [2][3][6].

II. LITERATURE SURVEY

The combination of generative artificial intelligence and digital marketing has garnered significant academic interest resulting in an expanding corpus of literature dealing with different aspects related to the implementation of technology, strategic significance, and ethics [1][4][8]. The purpose of this literature review is to provide a theoretical background for this research based on recent studies in this field.

The transition from discriminative to generative AI algorithms has been crucial in making personalized content creation possible [4]. At first, personalized content generation was performed via collaborative filtering and rule-based segmentation techniques, which, although effective in large enterprises with access to big data, were unattainable for smaller companies due to the lack of specific skills. The advent of transformers and LLMs (GPT, T5), which can generate consistent contextually appropriate text, has marked a paradigm shift in the field [4][8]. Recent studies have shown that these abilities are not limited to text alone and can be extended to the synthesis of multimodal data (text, image, and video) [4][8].

Personalization approaches utilizing generative AI have shown great potential within the confines of experimental research [2][3]. Research shows that tailoring the output of an LLM based on user profile information including demographic data, behaviour, and preferences allows for creating marketing messages that are adjusted to the target audience in terms of tone, emphasis, and message content [2][3]. The inclusion of reinforcement learning processes helps to personalize content even more as it allows for its optimization through real-time engagement. However, implementing these results from experiments into the actual deployment scenarios poses certain difficulties since recent studies show that personalized messages do not always perform better than non-personalized ones for all demographic groups [6][7].

The quality assessment of marketing content generated by artificial intelligence has become an important domain of study [2][3]. Generated text is susceptible to problems like hallucinations, privacy leakage, inconsistent style, and semantic misalignment with brand identity [2][8]. Although human evaluation is the standard method to

assess quality criteria that cannot be automatically detected like persuasive power and consistency, its high cost and lack of scalability have prompted the creation of automated assessment workflows. Embeddings are useful in this context since classifiers can identify subtle features associated with bad quality outputs [2][3]. Comparisons between multimodal and single-format content have invariably yielded better results for the former approach [4][8].

The ethical and legal implications of AI-generated marketing content are becoming increasingly relevant [6][8]. Copyright infringement, consumer protection, false advertising, and deception are major concerns in this field [6][8]. Consumers react differently to AI-generated and human-written content, and the way in which they interpret the source of the information influences their perception of effort and responsibility in case of misrepresentation [6].

Implications of generative AI use in an organization are not limited to the production of content but go deeper into marketing operations and the structure of teams [5][8]. A series of systematic literature reviews have revealed four areas of transformation: multimodal architecture of personalized services, hyper-contextualization based on temporal and behavioural variables, reconfiguration of an organization, and its new roles, as well as ethical issues related to bias and data protection [5][8][10].

III. PROPOSED METHODOLOGY

The proposed approach for personal content generation using Generative AI encompasses four interrelated components, namely audience profiling and data integration, prompt engineering, content synthesis, and continuous evaluation and feedback. These components are discussed in detail in this section in the context of Figures 1 and 2.




Figure 1: Overall Architecture of Generative AI-Based Personalized Content Creation Framework

Audience Profiling and Data Integration

The core principle underlying personalized marketing is thorough audience understanding which can be gained through data analysis. The suggested system utilizes various sources of data about users such as behavioral analytics tools, CRM systems, demographic databases, and interaction history database. This data is processed via a Dataflow pipeline that provides insights into audience demographics, interests, and purchase propensities.

The profiling stage utilizes clustering algorithms to identify segments of similar users while retaining enough detail for individual personalization. In contrast to the traditional approach that allocates users to pre-defined segments, the suggested system keeps dynamic profiles that adapt to user behavior. Each profile contains structured data (demographics, purchase history, preferences) and inferred data (interest vectors, engagement propensities, preferred content formats).

Dynamic Prompt Engineering

The process of turning the audience profiles into specific instructions on how to generate content is carried out through the prompt engineering process. The prompt engineering process builds contextually rich prompts that include user-specific details, campaign goals, branding requirements, and context details like time of day, device, and channel characteristics.

The structure of the prompt is well laid out, and it includes the definition of the role, the description of the audience, requirements for the content to be generated, tone specifications, and form. For personalization, the prompts are built based on profile features like content preferences, where the user likes concise or elaborate messages, their engagement tendencies, whether they respond better to emotional or rational messaging, and other contextual features.

This framework includes the control of diversity in prompts using the modification of the temperature parameter. The higher the temperature value, the more diverse the output is, which is appropriate for the users who have a wide range of interests. On the other hand, low values result in more concentrated results for the users with specified interests.

Multimodal Content Synthesis

The content generation module uses an integrated approach with a variety of models being used depending on the type of content generated. Text content generation involves the use of language models for generating text such as headlines, body text, call-to-action text, and captions for social media posts. Visual content generation uses diffusion-based models for the generation of images

that can accompany text content and enhance the message conveyed by the text. Speech-to-text and text-to-speech technologies are used where necessary for the generation of audio content in podcasting, voice advertising, and interactive voice responses.

Semantically coherent generation of content across multiple modalities is facilitated by the use of a shared representation space. The embeddings for the text and images are made consistent to ensure that the visual elements complement the semantics conveyed in the text rather than detract from the semantics.




Figure 2: Multimodal Content Synthesis Pipeline

Continuous Evaluation and Feedback

This stage involves setting up systems to measure content quality and performance on an ongoing basis. Content is filtered using automated processes that check the content's semantics in line with the brand guidelines, facts in the content, and appropriateness to the target audience. Potential problems such as hallucinations, off-brand messaging, and content likely to generate negative reactions among consumers can be detected using embedding-based classifiers.

Performance results from campaigns deployed into the field provide feedback for generating new content using a reinforcement learning process. Metrics such as engagement rates, clicks, conversions, and dwell time are measured and correlated with the attributes of the content responsible for the results.

The feedback loop works on many levels of time scales. Optimization is done on the shorter term by adjusting content variables during live campaigns according to performance metrics. Learning happens over the longer term through capturing performance patterns from previous campaigns to make decisions on content strategy, form, and personalization.

IV. ANALYSIS

In this section, we provide a quantitative study of the effectiveness of the proposed framework through an examination of its marketing metrics via experimental and comparative analyses.




Figure 3: Comparative Performance of Personalization Strategies Across Content Formats

Comparative study of content formats shows consistent superiority of multimodal formats. Experiments show that persona-oriented multimodal content generates click-through rate at 3.13% and return on investment of 1.76, far exceeding single-format benchmarks. Image-only content generated CTR of about 1.84% and ROI of 0.66, while purely textual solutions worked somewhere in the middle. These results coincide with theoretical predictions that persuasive power and semantic richness grow when textual and visual aspects of the content complement one another.




Figure 4: Engagement Metrics Across Demographic Segments for Different Personalization Strategies

Differences between personalized and non-personalized content in terms of effectiveness depend on the context of application significantly. Experiments show that even in case of LLM-based personalized messages posted via

advertising channels, personalization does not necessarily lead to better engagement of all demographic categories and sometimes even makes certain demographic categories less responsive to personalization attempts. It is clear that audience-oriented selection of the strategy is preferable to the use of personalization across the board.

Effectiveness of personalization strategy analysis demonstrates varied reaction from different audience characteristics. Adaptation of tone and language is a tool which works for some demographic segments and results in neutral or negative effect for others. Introduction of thematic relevance – aligning the content with audience's preferences and values – demonstrates the most stable positive impact on all segments. Emphasis on source material – selective highlighting of product information elements based on user needs – displays average performance results.

Analysis of algorithm delivery shows that LLM-generated personalization hints can affect the audience targeting of ads by the platform without use of any target demographic parameters. The increase in targeting by up to 8 percentage points shows that content-based signals have an influence on platform relevancy prediction. Still, this influence works within the framework of limitations posed by platform algorithms which make their own relevancy evaluations.




Figure 5: Content Quality Assessment Results Across Embedding Models

Quality assessment automation has shown its ability to detect problematic content at scale suitable for implementation. The classification using the embeddings proves effective in discriminating between high-quality and low-quality content based on different quality criteria like semantic match, facts, and brand fit. The type of embedding model used has an important effect on classification performance, and larger embedding models perform better at capturing these quality differences. Balancing class distribution becomes crucial for practical

application because low-quality content is less common among the generated samples in a well-functioning system.




Figure 6: Campaign Performance Over Time with Continuous Optimization

Analysis of longitudinal performance of campaign along with continuous optimization shows steady improvement in engagement metrics throughout the campaign. Content optimization systems that use reinforcement learning show consistent improvement in performance as they gather data on the right ways to optimize content for particular audience segments. Comparison-based analysis shows that the optimized campaign shows continuous improvement in terms of click-through and conversion rates whereas non-optimized campaign shows deterioration in performance as the audience becomes familiar with the content.

Comparative Analysis

Table 1 highlights the comparison of the techniques of generating content based on certain aspects such as personalization, scalability, quality control, and resources.

Table 1: Comparative analysis of personalized content generation approaches

Approach	Personalization Depth	Scalability	Quality Control	Resource Requirements
Template-Based	Low	High	High	Low
Rule-Based Segmentation	Medium	Medium	High	Medium
LLM-Based Single Format	High	High	Medium	Medium
Multimodal Generative	Very High	Medium	Medium	High
Multimodal with RL	Very High	Medium	High	Very High

It becomes evident from the comparison of different techniques that there are always some trade-offs between the degree of personalization achieved and operational aspects. The template-based methods are characterized by high scalability and quality control but deliver relatively low personalization. Multi-modal generation methods with reinforcement learning optimization allow achieving maximum personalization depth and quality control but demand a lot of computing power and technical skill. The organizations have to balance between different techniques depending on their goals and resources.

It is of particular importance to use reinforcement learning mechanisms when aiming at the optimization of the personalization-performance trade-off. It is clear that the systems that are able to adapt the strategy of content delivery based on observed interaction show better performance than those that follow static personalization strategy.

V. CONCLUSION

This paper has provided a detailed methodology to develop personalized content using generative AI techniques in the context of digital marketing. The suggested methodology involves the development of a process that uses audience profiling, prompt engineering, and content synthesis in multiple modalities, along with continuous evaluation to allow hyper-personalization with quality content and consistent branding.

From the quantitative analysis, it is evident that the generative approach involving multiple modalities performs better in terms of engagement than the single-modality approaches, with content personalization based on persona in combination with text and visuals providing the best performance for click-through rates and conversions. Nevertheless, the analysis has shown that there is significant variation in the effectiveness of



personalization across different demographics and use cases, with some demographic groups being less responsive to particular personalization techniques.

However, the component of the framework focused on continuous optimization provides solutions for overcoming natural differences in effectiveness of personalization by means of learning from performance of campaigns. Reinforcement learning systems show gradual improvement of their performance throughout the process of campaign running, obtaining compound effect which is impossible in case of any static content approach. Automated quality assessment is an important safety mechanism preventing content deterioration, where embedding classifiers are able to identify problematic content along several quality criteria.

There are some limitations to be taken into account. The number of experiments proving the effectiveness of personalization in the field of practice is rather limited, as most of the studies are based on laboratory conditions which might not reflect reality of the marketing practice. Frequent changes of generative AI algorithms and platforms make it necessary to adjust the framework constantly.

Potential areas of future study would be the exploration of the effectiveness of personalization in other product categories and cultural settings, creation of more advanced methods for assessing the quality of content that include subjective criteria, and examination of possible approaches to human-machine collaboration, which utilize the advantages of both methods of content generation. The inclusion of contextual cues in terms of user location, weather conditions, current events, etc. is likely to improve personalization.

The results obtained during the course of this research not only enhance our theoretical understanding of how AI-based personalization works but also offer some guidelines on practical application of such techniques for marketers. With the ongoing progress in generative AI systems, the findings offered here may become useful in the future for responsible utilization of AI in marketing efforts.

REFERENCES

1. Anurag Agnihotri and R. Saravanakumar, "Harnessing Generative AI for Transforming Marketing Strategies: Enhancing Consumer Engagement through Precision and Personalization," in *Proc. 2025 5th Int. Conf. on Pervasive Computing and Social Networking (ICPCSN)*, 2025, pp. 1522–1527.
2. Saleh Afzoon, Zahra Jamali, Usman Naseem, and Amin Beheshti, "PersoBench: Benchmarking Personalized Response Generation in Large Language Models," *IEEE Transactions on Artificial Intelligence*, early access, Apr. 2026.
3. Ashutosh Srivastava, Siddharth Yedlapati, Vinay Aggarwal, Yaman Kumar Singla, Shashwat Dixit, Jitendra Ajmera, and Balaji Krishnamurthy, "Benchmarking the Personalization Capabilities of Large Language Models," *arXiv preprint*, vol. abs/2607.20471, 2026.
4. Qiaowei Shen, Danqi Hu, and Haitian Xie, "Generative AI in Marketing Innovation: Applications and Research Outlook," *China Science Foundation*, vol. 2025, no. 5, 2025.
5. Hamza El Hamdaoui, "Generative AI and Hyper-Contextual Personalization: A Meta-Analysis of Digital Marketing Transformations," *Revue Internationale des Sciences de Gestion*, vol. 9, no. 1, Jan. 2026.
6. Asmaa El Fraihi, Nardjes Amieur, Béatrice Roussillon, and Oana Goga, "How Persuasive Are LLMs in the Wild? Assessing Personalized Ads in Real-World Delivery," *Proc. Int. AAAI Conf. on Web and Social Media*, vol. 20, no. 1, pp. 723–737, May 2026.
7. Jianfei Xiao, Xiang Yu, Chengbing Wang, Wuqiang Zheng, Xinyu Lin, Kaining Liu, Hongxun Ding, Yang Zhang, Wenjie Wang, Fuli Feng, and Xiangnan He, "AlpsBench: An LLM Personalization Benchmark for Real-Dialogue Memorization and Preference Alignment," in *Proc. ACM SIGIR Conf.*, 2026.
8. Dhruv Grewal, Cinthia B. Satornino, Thomas Davenport, and Abhijit Guha, "How Generative AI Is Shaping the Future of Marketing," *Journal of the Academy of Marketing Science*, Dec. 2024.
9. Varsha Damodhar Jadhav, Charu Khan, Brajesh Kumar Mishra, Indu Shukla, Nivedya Sunil Nair, and Himanshu Mathur, "Generative AI-Powered Advertisement Design Module for Targeted Consumer Outreach," in *Proc. 2025 2nd Int. Conf. on Artificial Intelligence and Knowledge Discovery in Concurrent Engineering (ICECONF)*, Chennai, India, Oct. 2025, pp. 1–7.
10. Surendra Singh Jagwan, Nirmesh Sharma, and Ashwani Sharma, "Generative AI-Based Content Adaptation System for High-Impact Digital Marketing," in *Proc. 2026 IEEE 2nd Int. Conf. on Quantum Photonics, Artificial Intelligence & Networking (QPAIN)*, Chittagong, Bangladesh, Apr. 2026, pp. 1–6.